

=> fil reg

FILE 'REGISTRY' ENTERED AT 10:31:45 ON 04 MAR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 3 MAR 2008 HIGHEST RN 1006431-93-1

DICTIONARY FILE UPDATES: 3 MAR 2008 HIGHEST RN 1006431-93-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=> d sta que l11

L9 STR



VAR G1=16/22

REP G2=(0-2) C

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 21

STEREO ATTRIBUTES: NONE

L11 16 SEA FILE=REGISTRY SSS FUL L9


100.0% PROCESSED 33 ITERATIONS

SEARCH TIME: 00.00.01

16 ANSWERS

=> d ide can tot l14


L14 ANSWER 1 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 1005242-49-8 REGISTRY
ED Entered STN: 24 Feb 2008
CN 1,5-Dioxaspiro[5.5]undec-7-ene, 2,3,3,7-tetramethyl-10-(1-methylethenyl)-
(CA INDEX NAME)
MF C16 H26 O2
SR Other Sources
Database: ChemBank (The Broad Institute)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L14 ANSWER 2 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 659719-50-3 REGISTRY
ED Entered STN: 08 Mar 2004
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2-ethyl-6-methyl-9-(1-methylethenyl)-, (9R)-
(CA INDEX NAME)
FS STEREOSEARCH
MF C14 H22 O2
SR CA
LC STN Files: CA, CAPLUS, CHEMCATS, USPATFULL

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:187015

L14 ANSWER 3 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 659719-49-0 REGISTRY
ED Entered STN: 08 Mar 2004
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,6-dimethyl-9-(1-methylethenyl)-, (9R)-

(CA INDEX NAME)
FS STEREOSEARCH
MF C13 H20 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:187015

L14 ANSWER 4 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 659719-48-9 REGISTRY
ED Entered STN: 08 Mar 2004
CN Cyclohexene, 6,6-diethoxy-1-methyl-4-(1-methylethenyl)-, (4R)- (CA INDEX NAME)
FS STEREOSEARCH
MF C14 H24 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry. Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:187015

L14 ANSWER 5 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 659719-47-8 REGISTRY
ED Entered STN: 08 Mar 2004
CN Cyclohexene, 6,6-dimethoxy-1-methyl-4-(1-methylethenyl)-, (4R)- (CA INDEX NAME)
FS STEREOSEARCH

MF C12 H20 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry. Rotation (-).




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:187015

L14 ANSWER 6 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 257630-48-1 REGISTRY
ED Entered STN: 01 Mar 2000
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)- (CA INDEX NAME)
MF C12 H18 O2
SR CA
LC STN Files: CA, CAPLUS, CASREACT




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 132:151712

L14 ANSWER 7 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 183053-93-2 REGISTRY
ED Entered STN: 14 Nov 1996
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (S)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C12 H18 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 125:329056

L14 ANSWER 8 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 124413-99-6 REGISTRY
ED Entered STN: 22 Dec 1989
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (9R)- (CA
INDEX NAME)
OTHER CA INDEX NAMES:
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (R)-
FS STEREOSEARCH
MF C12 H18 O2
SR CA
LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, USPATFULL
(*File contains numerically searchable property data)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

3 REFERENCES IN FILE CA (1907 TO DATE)
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


REFERENCE 1: 140:187015

REFERENCE 2: 114:100665

REFERENCE 3: 112:35000

L14 ANSWER 9 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
RN 116562-27-7 REGISTRY
ED Entered STN: 25 Sep 1988
CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-,

[2R-[2 α , 3 β , 5 α (S*)]]- (9CI) (CA INDEX NAME)
 MF C14 H22 O2
 SR CA
 LC STN Files: CA, CAPLUS




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:211235

L14 ANSWER 10 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
 RN 116562-26-6 REGISTRY
 ED Entered STN: 25 Sep 1988
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-,
 [2R-[2 α , 3 β , 5 α (R*)]]- (9CI) (CA INDEX NAME)
 MF C14 H22 O2
 SR CA
 LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:211235

L14 ANSWER 11 OF 11 REGISTRY COPYRIGHT 2008 ACS on STN
 RN 33496-93-4 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, (9R)-
 (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, (R)-
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 9-isopropenyl-2,3,6-trimethyl-, (-)- (8CI)
 OTHER NAMES:

CN (-)-Carvone-2,3-butylene glycol acetal
 FS STEREOSEARCH
 MF C14 H22 O2
 LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:187015

REFERENCE 2: 75:5091

=> fil uspatful

FILE 'USPATFULL' ENTERED AT 10:32:02 ON 04 MAR 2008

CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 4 Mar 2008 (20080304/PD)

FILE LAST UPDATED: 4 Mar 2008 (20080304/ED)

HIGHEST GRANTED PATENT NUMBER: US7340778

HIGHEST APPLICATION PUBLICATION NUMBER: US2008052798

CA INDEXING IS CURRENT THROUGH 4 Mar 2008 (20080304/UPCA)

ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 4 Mar 2008 (20080304/PD)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2007

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2007

=> d bib abs hitstr l20

L20 ANSWER 1 OF 1 USPATFULL on STN

AN 2005:280618 USPATFULL Full-text

TI Carvone acetals used as flavourings

IN Surburg, Horst, MEIERBERG 9, HOLMINDEN, GERMANY, FEDERAL REPUBLIC OF
 37603

Loges, Hubert, Hoxter, GERMANY, FEDERAL REPUBLIC OF

Machinek, Arnold, Holzminden, GERMANY, FEDERAL REPUBLIC OF

PI US 2005244561 A1 20051103

AI US 2003-521210 A1 20030802 (10)

WO 2003-EP8591 20030802

20050113 PCT 371 date

DT Utility

FS APPLICATION

LREP ROYLANCE, ABRAMS, BERDO & GOODMAN, L.L.P., 1300 19TH STREET, N.W., SUITE
 600, WASHINGTON,, DC, 20036, US

CLMN Number of Claims: 11

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 499

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to (-)-carvone acetals and their use as flavourings.
In a preferred embodiment, the invention relates to the use of these acetals
for the flavouring of oral hygiene products.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 33496-93-4P, (-)-Carvone-2,3-butylene glycol acetal

124413-99-6P 659719-47-8P 659719-48-9P


659719-49-0P 659719-50-3P

(carvone acetals as aroma compds. for food and cosmetic and
pharmaceutical use)

RN 33496-93-4 USPATFULL

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, (9R)-
(CA INDEX NAME)


Absolute stereochemistry.



RN 124413-99-6 USPATFULL

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (9R)- (CA
INDEX NAME)


Absolute stereochemistry.



RN 659719-47-8 USPATFULL


CN Cyclohexene, 6,6-dimethoxy-1-methyl-4-(1-methylethenyl)-, (4R)- (CA INDEX
NAME)

Absolute stereochemistry. Rotation (-).




RN 659719-48-9 USPATFULL
 CN Cyclohexene, 6,6-diethoxy-1-methyl-4-(1-methylethenyl)-, (4R)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 659719-49-0 USPATFULL
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,6-dimethyl-9-(1-methylethenyl)-, (9R)- (CA INDEX NAME)

Absolute stereochemistry.



RN 659719-50-3 USPATFULL
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2-ethyl-6-methyl-9-(1-methylethenyl)-, (9R)- (CA INDEX NAME)

Absolute stereochemistry.



=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 10:32:18 ON 04 MAR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching

databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 4 Mar 2008 VOL 148 ISS 10
FILE LAST UPDATED: 3 Mar 2008 (20080303/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d bib abs hitstr retable tot 119

L19 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN

AN 2004:138674 HCAPLUS Full-text

DN 140:187015

TI Carvone acetals as aroma compounds for food and cosmetic and pharmaceutical use

IN Surburg, Horst; Loges, Hubert; Machinek, Arnold

PA Symrise GmbH & Co. KG, Germany

SO Ger. Offen., 7 pp.

CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	DE 10235968	A1	20040219	DE 2002-10235968	20020806 <--	
	WO 2004015044	A1	20040219	WO 2003-EP8591	20030802 <--	
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW		
	RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG		
	AU 2003251687	A1	20040225	AU 2003-251687	20030802 <--	
	EP 1529095	A1	20050511	EP 2003-784158	20030802 <--	
	R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK		
	US 2005244561	A1	20051103	US 2005-521210	20050113 <--	
PRAI	DE 2002-10235968	A	20020806	<--		
	WO 2003-EP8591	W	20030802	<--		

OS MARPAT 140:187015

AB The invention concerns (-)-carvone acetals and their use as aroma compds. In a preferential embodiment the invention concerns the use of these acetals for aromatization of oral hygiene products.

IT 33496-93-4P, (-)-Carvone-2,3-butyleneglycol acetal

124413-99-6P 659719-47-8P 659719-48-9P

659719-49-0P 659719-50-3P


RL: COS (Cosmetic use); FFD (Food or feed use); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(carvone acetals as aroma compds. for food and cosmetic and pharmaceutical use)

RN 33496-93-4 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, (9R)-
(CA INDEX NAME)


Absolute stereochemistry.



RN 124413-99-6 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (9R)- (CA
INDEX NAME)


Absolute stereochemistry.



RN 659719-47-8 HCAPLUS

CN Cyclohexene, 6,6-dimethoxy-1-methyl-4-(1-methylethenyl)-, (4R)- (CA INDEX
NAME)


Absolute stereochemistry. Rotation (-).



RN 659719-48-9 HCAPLUS

CN Cyclohexene, 6,6-diethoxy-1-methyl-4-(1-methylethenyl)-, (4R)- (CA INDEX
NAME)


Absolute stereochemistry. Rotation (-).



RN 659719-49-0 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,6-dimethyl-9-(1-methylethenyl)-, (9R)-
(CA INDEX NAME)


Absolute stereochemistry.



RN 659719-50-3 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2-ethyl-6-methyl-9-(1-methylethenyl)-, (9R)-
(CA INDEX NAME)

Absolute stereochemistry.



L19 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN

AN 1999:805718 HCAPLUS [Full-text](#)

DN 132:151712

TI Cadmium iodide catalyzed and efficient synthesis of acetals under
microwave irradiations

AU Laskar, Dhrubojyoti Dey; Prajapati, Dipak; Sandhu, Jagir S.

CS Regional Research Laboratory, Jorhat, 785 006, India

SO Chemistry Letters (1999), (12), 1283-1284

CODEN: CMLTAG; ISSN: 0366-7022

PB Chemical Society of Japan

DT Journal

LA English

OS CASREACT 132:151712

AB A new selective method of acetalization of aldehydes and ketones with 1,2-
diols, 1,3-diols or alcs. mediated by Cd iodide under microwave irradiation is
achieved in excellent yields.


IT 257630-48-1P

RL: SPN (Synthetic preparation); PREP (Preparation)

(cadmium iodide catalyzed synthesis of acetals under microwave
irradiations)

RN 257630-48-1 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)- (CA INDEX
NAME)



RETABLE

Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
Baghurst, D	1992		674	J Chem Soc, Chem Com	HCAPLUS
Baruah, B	1996		351	Chem Lett	HCAPLUS
Baruah, B	1996	37	9087	Tetrahedron Lett	HCAPLUS
Baruah, B	1997	38	1449	Tetrahedron Lett	HCAPLUS
Bose, A	1991	56	6968	J Org Chem	HCAPLUS
Brown, J	1964	86	2183	J Am Chem Soc	HCAPLUS
Caddick, S	1995	51	10403	Tetrahedron	HCAPLUS
Chan, T	1983		203	Synthesis	HCAPLUS
Cramarossa, M	1997	53	15889	Tetrahedron	HCAPLUS
Daniele, M	1990		363	Main Group Met Chem	
Giguere, R	1989	1	103	Organic Synthesis: T	HCAPLUS
Hanzlik, R	1978	43	438	J Org Chem	HCAPLUS
Kim, S	1992	33	2565	Tetrahedron Lett	HCAPLUS
Kocienski, P	1994		156	Protecting Groups, 1	
Lillie, B	1994	35	969	Tetrahedron Lett	HCAPLUS
Lorette, N	1960	25	521	J Org Chem	HCAPLUS
Lu, T	1995	60	2931	J Org Chem	HCAPLUS
Majdoub, M	1996	52	617	Tetrahedron	HCAPLUS
Minafuji, M	1989			JP 01-313481	HCAPLUS
Mingos, D	1991	20	1	Chem Soc Rev	HCAPLUS
Smith, A	1991	113	2071	J Am Chem Soc	HCAPLUS
Stenberg, V	1974	39	2815	J Org Chem	HCAPLUS
Thuy, V	1975	II	2558	Bull Soc Chim Fr	
Tsunoda, T	1980	21	1357	Tetrahedron Lett	HCAPLUS
Weinelt, F	1997			EP 737734	HCAPLUS

L19 ANSWER 3 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN

AN 1996:592479 HCAPLUS Full-text

DN 125:329056

TI Synthesis of physiologically active substances from several cyclic monoterpene ketones

AU Nomura, Masato; Hisatomi, Satoshi; Fujihara, Yoshihito; Shibata, Mitsunobu; Takagi, Shigeki; Sugiura, Masaaki

CS Department of Industrial Chemistry, Kinki University, Higashihiroshima, 739-21, Japan

SO Nihon Yukagakkaishi (1996), 45(9), 865-870

CODEN: NIYUFC; ISSN: 1341-8327

PB Nihon Yukagaku Gakkai

DT Journal

LA Japanese

AB Synthesis of ketals of (+)-menthone, (+)-carvone, (-)-verbenone, (+)-camphor and karahanaenone by condensation reaction with ethylene glycol, 1,2-ethanedithiol or 1,3-propanedithiol in the presence of zeolites or p-toluene sulfonic acid was developed. (+)-Menthone propylene dithioketal, 2-[2-(1-methylethyl)-5-methylphenylthio]ethanethiol, which was derived from (-)-verbenone, and (+)-camphor propylene dithioketal emitted odors indicating

their potential use as flavor ingredients. (+)-Camphor ethylene dithioketal at 550 ppm completely inhibited the growth of *Propionibacterium acnes*. Ethylene and propylene dithioketals of (+)-camphor showed efficient insecticidal activity of 83.apprx.100% at 0.5.apprx.1.0 g/m2 toward *Tyrophagus putrescentiae* and *Dermatophgoides farinae* with their activity toward *T. putrescentiae* exceeding that of *N,N*-diethyl-*m*-toluamide (DEET).


IT 183053-93-2P

RL: SPN (Synthetic preparation); PREP (Preparation)
(synthesis of physiol. active ketals derived from several cyclic monoterpenyl ketones)

RN 183053-93-2 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (S)- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.



L19 ANSWER 4 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN

AN 1991:100665 HCAPLUS [Full-text](#)

DN 114:100665

TI Dimethyl sulfoxide-catalyzed hydrolysis of acetals or ketals to carbonyl compounds

IN Honda, Toshio; Kusano, Takashi; Ishisone, Hiroyuki; Suzuki, Yukio; Mori, Wakako

PA Horiuchi Itaro Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 10 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 02218636	A	19900831	JP 1989-39442	19890221 <--
PRAI	JP 1989-39442		19890221	<--	

OS MARPAT 114:100665

AB R1R2CO (R1, R2 = H, alkyl, aryl; or R1R2 = alkylene) are prepared by thermal hydrolysis of R1CR2(OR3)OR4 (R1, R2 = defined above; R3, R4 = alkyl; or R3R4 = alkylene) in presence of H2O and at least a catalytic quantity of DMSO. The process allows to hydrolyze acetals and ketals, particularly hydroxy-containing acid sensitive ones, under neutral conditions and also selectively hydrolyze linear acetals in the presence of cyclic acetals. Thus, a solution of PhCMe(OMe)2 1, DMSO 5, and H2O 5 mmol in 4 mL dioxane was refluxed 1.5 h to give 93.3% PhCOMe.

IT 124413-99-6P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrolysis of, DMSO catalyst for)


RN 124413-99-6 HCAPLUS

CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (9R)- (CA INDEX NAME)

Absolute stereochemistry.




L19 ANSWER 5 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN
 AN 1990:35000 HCAPLUS Full-text
 DN 112:35000
 TI Simple and chemoselective deprotection of acetals using aqueous dimethyl sulfoxide
 AU Kametani, Tetsuji; Kondoh, Hirotune; Honda, Toshio; Ishizone, Hiroyuki; Suzuki, Yukio; Mori, Wakako
 CS Inst. Med. Chem., Hoshi Univ., Tokyo, 142, Japan
 SO Chemistry Letters (1989), (5), 901-4
 CODEN: CMLTAG; ISSN: 0366-7022
 DT Journal
 LA English
 OS CASREACT 112:35000
 GI




AB Deprotection of acetals was achieved in aqueous Me₂SO under neutral reaction condition. Selective cleavage of acyclic acetals (e.g., I; R = Me₃CSiMe₂, tetrahydropyranyl) bearing various types of acid-labile protecting groups was also reported.
 IT 124413-99-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (acetal cleavage of, with aqueous DMSO)
 RN 124413-99-6 HCAPLUS
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 6-methyl-9-(1-methylethenyl)-, (9R)- (CA INDEX NAME)


Absolute stereochemistry.



L19 ANSWER 6 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN
 AN 1988:611235 HCAPLUS Full-text
 DN 109:211235
 TI Resolution of monoterpene enantiomers by gas chromatography
 AU Satterwhite, D. Michael; Croteau, Rodney B.
 CS Inst. Biol. Chem., Washington State Univ., Pullman, WA, 99164-6340, USA
 SO Journal of Chromatography (1987), 407, 243-52
 CODEN: JOCRAM; ISSN: 0021-9673
 DT Journal
 LA English
 OS CASREACT 109:211235
 AB Enantiomeric monoterpenes were resolved by gas chromatog. on conventional capillary and packed columns following conversion to diastereomeric ketals of (2R,3R)-2,3-butanediol. Efficient methods are described for the derivatization and separation of sub-milligram quantities of the enantiomers of α -pinene, β -pinene, camphene, sabinene, α -thujene, limonene and 3-carene, as well as of structurally related alcs. and ketones.
 IT 116562-26-6P 116562-27-7P
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation and chromatog. separation of)
 RN 116562-26-6 HCAPLUS
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, [2R-[2 α , 3 β , 5 α (R*)]]- (9CI) (CA INDEX NAME)




RN 116562-27-7 HCAPLUS
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, [2R-[2 α , 3 β , 5 α (S*)]]- (9CI) (CA INDEX NAME)



L19 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2008 ACS on STN
 AN 1971:405091 HCAPLUS Full-text
 DN 75:5091
 OREF 75:851a,854a
 TI Resolution of racemic ketones and aldehydes via diastereoisomeric acetals by gas-liquid chromatography. II. Diastereoisomeric ketals with 2,3-butanediol
 AU Sanz-Burata, Manuel; Irurre-Perez, Jose; Julia-Arechaga, Sebastian

CS Spain
 SO Afinidad (1970), 27(281), 698-704
 CODEN: AFINAE; ISSN: 0001-9704
 DT Journal
 LA Spanish
 AB D-(-)-2,3-Butanediol was evaluated as a resolving agent via the formation of the diastereoisomeric ketals of the following (±)-ketones by gasliq. chromatog.: (±)-3-methylcyclohexanone (I), (±)-3,3,5-trimethylcyclohexanone (II), (-)-menthone (III), (-)-carvone, (+)-camphor (IV), (±)-5-methyl-3-heptanone, and (±)-2,6,8-trimethyl-4-nonanone. Only the resolution of I and II was successful. III and IV were effective resolving agents for (±)-2,3-butanediol. The best sepns. were obtained on a capillary column coated with diethylene glycol polyadipate. In addition, steric factors responsible for good gas-liquid chromatog. sepns. were studied, with consideration of the empirical Rule of Six formulated by Newman and of the degree of immobility of the conformation.
 IT 33496-93-4F
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 33496-93-4 HCAPLUS
 CN 1,4-Dioxaspiro[4.5]dec-6-ene, 2,3,6-trimethyl-9-(1-methylethenyl)-, (9R)-
 (CA INDEX NAME)

Absolute stereochemistry.



=> d his

(FILE 'HOME' ENTERED AT 09:52:42 ON 04 MAR 2008)
 SET COST OFF

FILE 'HCAPLUS' ENTERED AT 09:52:49 ON 04 MAR 2008

L1 1 S US20050244561/PN OR (US2005-521210# OR WO2003-EP8591)/AP,PRN
 E SURBURG/AU
 L2 77 S E4,E6
 E LOGES/AU
 L3 12 S E3,E18
 E MACHINEK/AU
 L4 19 S E4
 E SYMRISE/CO
 L5 296 S E3-E23/CO,A,CS
 E E15+ALL
 L6 1087 S E2+RT OR E2-E27/PA,CS
 SEL RN L1

FILE 'REGISTRY' ENTERED AT 09:54:38 ON 04 MAR 2008

L7 12 S E1-E12
 L8 6 S L7 AND (C14H22O2 OR C13H20O2 OR C14H22O2 OR C12H18O2 OR C12H2
 L9 STR

L10 1 S L9
L11 16 S L9 FUL
 SAV L11 DEES521/A
L12 10 S L11 NOT L8
L13 5 S L12 AND (C12H18O2 OR C14H22O2 OR C16H26O2)
L14 11 S L8,L13

FILE 'HCAPLUS' ENTERED AT 10:29:56 ON 04 MAR 2008

L15 7 S L14
L16 1 S L15 AND L1-L6
L17 5 S L15 AND PY<=2003 NOT P/DT
L18 2 S L15 AND (PD<=20030802 OR PRD<=20030802 OR AD<=20030802) AND P
L19 7 S L16-L18

FILE 'USPATFULL' ENTERED AT 10:31:31 ON 04 MAR 2008

L20 1 S L14

FILE 'REGISTRY' ENTERED AT 10:31:45 ON 04 MAR 2008

FILE 'USPATFULL' ENTERED AT 10:32:02 ON 04 MAR 2008

FILE 'HCAPLUS' ENTERED AT 10:32:18 ON 04 MAR 2008

=>